Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

				Ну	dric soils	criteria	a	
Map symbol and map unit name 	 Component 	Hydric	 Local landform 	Hydric criteria code	Meets saturation criteria	flooding	Meets ponding criteria	
Ad: ALLUVIAL LAND	 	Yes		2B3,4	YES	 YES	NO	
Auc2: AURA GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOEPS, MODERATELY ERODED	 Aura 	No	 			 		
AuD2: AURA GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	 Aura 	No				 		
AuD3: AURA GRAVELLY SANDY LOAM, 5 TO 15 PERCENT SLOPES, SEVERELY ERODED	 Aura 	No				 		
BlA: BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES		No				 		
BlB2: BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Beltsville 	No				 		
BlC2: BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Beltsville 	No			 	 		
BlC3: BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	 Beltsville 	No	 			 		
Bo: Bosessilt LOAM	 Bibb 	Yes	 flood plain	2B3,4	YES	 YES 	NO	
BrB2: BOURNE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Bourne 	No	 			 	 	
BrC2: BOURNE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Bourne 	No				 		
BuC3: BOURNE SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	 Bourne 	No				 	 	
ChB2: CHILLUM SILT LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	 Chillum 	No	 			 		
ChC2: CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	 Chillum 	No	 			 		
Co: COASTAL BEACHES	 Coastal	Yes	 l beach	2B2	YF.S	 NO	NO I	

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

Map symbol and	 	 		Hydric soils criteria				
map symbol and map unit name	Component	Hydric	Local landform 	Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria 	
CrB2: CROOM GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	 Croom 	 	 			 	 	
Crc2: CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	 Croom 	No No	 			 	 	
CrC3: CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	 Croom 	 No 	 			 	 	
Cu: CUT AND FILL LAND	 Cut And Fill Land	 				 	 	
Ek: ELKTON SILT LOAM	 Elkton	 Yes	 flat	2B3	YES	 NO	 NO	
ErE: ERODED LAND, STEEP	 Eroded Land	 No	 				 	
EvB: EVESBORO LOAMY SAND, 0 TO 8 PERCENT SLOPES	 Evesboro 	 No 	 			 	 	
Evc: EVESBORO LOAMY SAND, 8 TO 15 PERCENT SLOPES	 Evesboro 	 No 	 			 	 	
EWB: EVESBORO GRAVELLY LOAMY SAND, 0 TO 8 PERCENT SLOPES	 Evesboro 	 No 	 			 	 	
EWC: EVESBORO GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	 Evesboro 	 No 	 			 	 	
ExC2: EXUM SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Exum 	 	 			 	 	
ExC3: EXUM CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	 Exum 	 No 	 			 	 	
ExD2: EXUM SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	 Exum 	 	 			 	 	
EyD3: EXUM CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	 Exum 	 	 			 	 	
EzB2: EXUM-BELTSVILLE SILT LOAMS, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Exum - -	 No 	 			 	 	
	 Beltsville 	 No 	 			 	 	
Fs: FALLSINGTON SANDY LOAM	 Fallsington	 Yes	flat	2B3	YES	l NO	 NO	

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

				Hydric soils criteria				
Map symbol and map unit name 	Component 	Hydric	 Local landform 	Hydric criteria code	Meets saturation criteria			
 Gp: GRAVEL AND BORROW PITS	 	No	 		 	 	 	
GvE: GRAVELLY LAND, STEEP	 	No	 			 	 	
ik: iuka fine sandy Loam	 	No				 	 	
 Im: IUKA SANDY LOAM, LOCAL ALLUVIUM	 Iuka	No	 		 	 	 	
 In: IUKA SILT LOAM, LOCAL ALLUVIUM		No	 		 	 	 	
 KeA: KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	 Keyport 	No	 		 	 	 	
 KeB2: KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Keyport 	No	 		 	 	 	
 KpA: KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	 Keyport 	No	 		 	 	 	
KpB2: KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Keyport 	No	 		 	 	 	
 KpC2: KEYPORT SILT LOAM, 5 TO 12 PERCENT SLOPES, MODERATELY ERODED	 Keyport 	No	 		 	 	 	
 KpC3: KEYPORT SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES, SEVERELY ERODED	 Keyport 	No			 	 	 	
 Le: LEONARDTOWN SILT LOAM	 	Yes	 flat	2B3	YES	 NO	I I NO	
 MgA: MAGNOLIA SILT LOAM, 0 TO 2 PERCENT SLOPES	 Magnolia 	No	 			 	 	
MgB2: MAGNOLIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Magnolia 	No	 		 	 	 	
MgC2: MAGNOLIA SILT LOAM, 5 TO 12 PERCENT SLOPES, MODERATELY ERODED		No	 		 	 	 	
 MkC3: MAGNOLIA CLAY LOAM, 5 TO 12 PERCENT SLOPES, SEVERELY ERODED		No	 			 	 	
 MlB2: MARR FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES. MODERATELY	 	No	 		 	 	 	

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

 Man eymbol and		 		Ну	Hydric soils criter				
Map symbol and map unit name 	 Component 	 Hydric 	Local landform 	Hydric criteria code	Meets saturation criteria	Meets flooding criteria 	Meets ponding criteria 		
MmA: MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	 Matapeake 	 No 	 			 	 		
 MmB2: MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Matapeake 	 No 	 		 	 	 		
 MnA: MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	 Matapeake 	 No 	 		 	 	 		
MnB2: MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Matapeake 	 No 			 	 	 		
 MnC2: MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Matapeake 	 No 	 		 	 	 		
 MnC3: MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	 Matapeake 	 No 	 		 	 	 		
 Ms: MATAWAN LOAMY SAND	 Matawan	 No	 			 	 		
 MtA: MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	 Mattapex 	 No 	 		 	 	 		
 MtB2: MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Mattapex 	 No 	 		 	 	 		
MuA: MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	 Mattapex 	 No 			 	 	 		
MuB2: MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Mattapex 	No No	 		 	 	 		
MxC: MATTAPEX SOILS, 5 TO 12 PERCENT SLOPES	 Mattapex 	 	 		 	 	 		
 OcB: OCHLOCKONEE FINE SANDY LOAM, LOCAL ALLUVIUM, 0 TO 5 PERCENT SLOPES		 No 	 		 	 	 		
 Or: OSIER LOAMY SAND	 Osier 	 Yes 	 	2B2	 YES	 NO	 NO		
Os: OTHELLO FINE SANDY LOAM	 Othello 	 Yes 	flat	2B3	YES	NO I	 NO 		
 Ot: OTHELLO SILT LOAM	 Othello 	 Yes 	 flat	2B3	 YES	 NO	l NO		
RdB2: RUMFORD LOAMY SAND, 0 TO 5 PERCENT SLOPES.		l No	 		 	 	 		

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

 Map symbol and				Hydric soils criteria				
Map symbol and map unit name 	 Component 	 Hydric 	Local landform	Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria 	
RdC2: RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED		No	 			 	 	
 RgB2: RUMFORD GRAVELLY SANDY LOAM, 0 TO 5 PERCENT SLOPES MODERATELY ERODED	 Rumford 	 No 	 			 	 	
RgC2: RUMFORD GRAVELLY SANDY LOAM, 5 TO 10 PERCENT SLOPES MODERATELY ERODED	 Rumford 	 No No	 			 	 	
 SaE: SANDY LAND, STEEP	 Sandy Land 	 No				 	 	
ShA: SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES		l No	 			 	 	
 ShB2: SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Sassafras 	 No 	 			 	 	
 ShC2: SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Sassafras 	 No 	 			 	 	
 ShC3: SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	 Sassafras 	 No 	 			 	 	
 ShD2: SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	 Sassafras 	 No 	 			 	 	
 ShD3: SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	 Sassafras 	 No 	 			 	 	
 Sx: SWAMP	 Swamp	 Yes	 	2B3,3,4	YES	 YES	 YES	
 Tm: TIDAL MARSH	 Tidal Marsh	 Yes	 salt marsh	2B3,3	YES	l NO	YES	
 WaB2: WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	 Westphalia 	 No No	 			 	 	
 WaC2: WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES MODERATELY ERODED		 No 	 			 	 	
 WaC3: WESTPHALIA FINE SANDY LOAM. 6 TO 12 PERCENT		I I No	 			 	 	

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

 Map symbol and				Hydric soils criteria				
Map symbol and map unit name	Component 	Hydric	Local landform 	Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria 	
 WaD2: WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES MODERATELY ERODED	 Westphalia 	 No 	 			 	 	
 WaD3: WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	 Westphalia 	 No 	 			 	 	
 WeB2: WESTPHALIA-EVESBORO COMPLEX, 2 TO 6 PERCENT SLOPE, MODERATELY ERODED	 Westphalia 	 No 	 			 	 	
	 Evesboro	l No						
 WeC2: WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES MODERATELY ERODED	 Westphalia 	 No 	 		 	 	 	
	 Evesboro	l No				 	 	
 WeC3: WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES SEVERELY ERODED	 Westphalia 	 No 	 		 	 	 	
	 Evesboro	l No						
WkB2: WICKHAM FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Wickham 	 No 	 			 	 	
WkC2: WICKHAM FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Wickham 	 No 	 		 	 	 	
 WkD2: WICKHAM FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	 Wickham 	 No 	 			 	 	
 WmC3: WICKHAM SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	 Wickham 	 No 	 		 	 	 	
 WmD3: WICKHAM SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	 Wickham 	 No 	 			 	 	
 WoA: WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES		 No 				 	 	
WoB2: WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	 Woodstown 	 No 	 		 	 	 	

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

 Map symbol and		 			Ну	dric soils	criteria	
map unit name	Component	Hydric	Local	landform 	Hydric criteria code	Meets saturation criteria 		
WoC2: WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	 Woodstown 	 No 	 	 		 	 	